

Stormwater Pollution Prevention Plan



Borough of Lake Como
Monmouth County, New Jersey
NJG0150088

Prepared By:
Leon S. Avakian, Inc. - Consulting Engineers
788 Wayside Road, Neptune, NJ 07753

Annual Review Date: January 21, 2026

Stormwater Program Coordinator: Samuel J. Avakian, P.E., P.L.S., P.P.

Signature: _____



Date: _____

1-21-26

Table of Contents

Form 1:	Team Members	Page 3
Form 2:	Revision History	Page 4
Form 3:	Public Announcements	Page 5
Form 4:	Post-Construction Stormwater Management in New Development and Redevelopment	Page 6
Form 5:	Ordinances	Page 8
Form 6:	Street Sweeping	Page 10
Form 7:	MS4 Infrastructure	Page 11
Form 8:	Community-wide Measures	Page 14
Form 9:	Municipal Maintenance Yards & Other Ancillary Operations	Page 15
Form 10:	Training	Page 18
Form 11:	MS4 Mapping	Page 21
Form 12:	Watershed Improvement Plan	Page 22

Form 1: Team Members

Stormwater Program Coordinator (SPC)	Individual(s) Responsible for Major Development Project Stormwater Management Review
Samuel J. Avakian, P.E., P.L.S., P.P. BOROUGH ENGINEER (732) 922-9229 smyer@leonsavakian.com	Alan P. Hilla, Jr., P.E., P.P., CME PLANNING/ZONING BOARD ENGINEER (732) 414-2661 ahilla@H2M.com

Other Municipal Stormwater Team Members
Andrew Huisman BOROUGH ADMINISTRATOR (732) 681-3232 ahuisman@lakecomonj.org

Shared/Contracted Service Providers		
Provider Name	Service Provided	Term of Service
Borough of Belmar	Salt and De-icing Materials	Renewed Annually
Belmar Marina Fueling Facility	Fuel	Renewed Annually
Monmouth County	Street Sweeping	Renewed Annually
Monmouth County	Vehicle Washing	Renewed Annually

Form 3: Public Announcements
Part IV.B. & C.

1. Provide the link to the dedicated stormwater webpage for your municipality.
https://lakecomonj.org/home/page/26
2. List the name and title of the person(s) responsible for stormwater webpage postings/updates.
Amy Boney, Borough Clerk
3. List the newspapers, social media outlets, websites, direct mailings (email or postal), and other communication approaches typically used to inform/educate the public on stormwater program information and related events/activities.
Public education and outreach events/activities are advertised on the Borough website and with fliers and public announcements at the Borough Council meetings. Additionally, stormwater educational materials are available to the public at the municipal building.

**Form 4: Post-Construction Stormwater Management in
New Development and Redevelopment**

Part IV.E.

1. How does the municipality define “major development”? If it is different from the definition in N.J.A.C. 7:8, explain the difference.
As per Lake Como Borough Stormwater Control Ordinance #2024-02, “major development” means: <i>An individual “development,” as well as multiple developments that individually or collectively result in:</i> <i>1. The disturbance of one or more acres of land since February 2, 2004;</i> <i>2. The creation of one-quarter acre or more of “regulated impervious surface” since February 2, 2004;</i> <i>3. The creation of one-quarter acre or more of “regulated motor vehicle surface” since March 2, 2021; or</i> <i>4. A combination of 2 and 3 above that totals an area of one-quarter acre or more. The same surface shall not be counted twice when determining if the combination area equals one-quarter acre or more.</i> <i>Major development includes all developments that are part of a common plan of development or sale (for example, phased residential development) that collectively or individually meet any one or more of paragraphs 1, 2, 3, or 4 above. Projects undertaken by any government agency that otherwise meet the definition of “major development” but which do not require approval under the Municipal Land Use Law, N.J.S.A. 40:55D-1 et seq., are also considered “major development.”</i>
2. Is the municipality’s Stormwater Control Ordinance (SCO) the same as or more stringent than NJDEP’s model SCO? If more stringent, explain the difference.
Lake Como Borough Stormwater Control Ordinance #2024-02 is the same as the NJDEP model Stormwater Control Ordinance.
3. Describe the process for reviewing major development project application for compliance with the SCO and Residential Site Improvement Standards (RSIS).
The Planning Board Engineer reviews all major development projects for compliance in accordance with the Stormwater Management Rules N.J.A.C. 7:8, Lake Como Borough Stormwater Control Ordinance, and Residential Site Improvement Standards as applicable. If the project is compliant, a recommendation for approval is made to the Planning/Zoning Board.

<p>4. Does your municipality have a mitigation plan included in your Municipal Stormwater Management Plan and Stormwater Control Ordinance? Indicate the location of records of all variances granted.</p>	
<p>Yes; the Lake Como Borough Municipal Stormwater Management Plan includes a Mitigation Plan and the Lake Como Borough Stormwater Control Ordinance addresses conditions that must be met to grant a waiver or variance from N.J.A.C. 7:8-5.3. No variances have been granted to date.</p>	
<p>5. Indicate the dates of each iteration of the municipality’s Stormwater Control Ordinance, starting with the initial adoption and including revisions.</p>	
Ordinance Number	Adoption Date
#2007-797	2007
#2021-956	February 16, 2021
#2024-02	March 19, 2024
<p>6. Indicate the dates of each iteration of the municipality’s Municipal Stormwater Management Plan, starting with the initial adoption and including revisions.</p>	
<p>Lake Como Borough’s Municipal Stormwater Management Plan was initially adopted in June 2005.</p>	

Form 5: Ordinances

Part IV.F.1.

Ordinance	Date Adopted	Was the NJDEP model adopted without change? If not, explain how the municipality's is more stringent.	Entity Responsible for Enforcement	Fees & Fines
1. Pet Waste	7/5/06	Adopted without change	Police Dept., Zoning Officer, and/or Code Enforcement	Up to \$2000
2. Wildlife Feeding	6/1/04	Adopted without change	Police Dept., Zoning Officer, and/or Code Enforcement	Up to \$2000
3. Litter Control	7/5/06	Adopted without change	Police Dept., Zoning Officer, and/or Code Enforcement	Up to \$2000
4. Improper Disposal of Waste	7/5/06	Adopted without change	Police Dept., Zoning Officer, and/or Code Enforcement	Up to \$2000
5. Yard Waste	7/5/06	Adopted without change	Police Dept., Zoning Officer, and/or Code Enforcement	Up to \$2000
6. Private Storm Drain Inlet Retrofitting	12/21/10	Adopted without change	Zoning Officer and/or Code Enforcement	Up to \$2000
7. Illicit Connections	7/5/06	Adopted without change	Police Dept., Zoning Officer, and/or Code Enforcement	Up to \$2000
8. Privately-Owned Salt Storage	5/7/24	Adopted without change	Police Dept., Zoning Officer, and/or Code Enforcement	Up to \$2000
9. Tree Removal- Replacement	2/21/23	Adopted without change	Police Dept., Zoning Officer, and/or Code Enforcement	Up to \$1600 /tree

List any additional stormwater-related ordinances the municipality has adopted that address issues beyond the scope of the MS4 permit. Include adoption date, entity responsible for enforcement, and related fees and fines.

Ordinance	Adoption Date	Enforcement	Fines & Fees
None at this time	N/A	N/A	N/A

Indicate the location of records associated with ordinances and related violations and enforcement actions below.

Records associated with ordinances are located in the Borough Clerk's office and records related to enforcement actions are located in the Code Enforcement office.

Form 6: Street Sweeping

Part IV.F.2.a.i. and ii.

Provide a written description and/or attach a map outlining the sweeping schedule for the following:

- 1.**
- **Segments of municipal roads with storm drain inlets that discharge to surface water (required at least 3 times each year)**
 - **Segments of municipal roads that do not have storm drain inlets but do discharge to surface water (required at least 1 time each year)**

Note: Only asphalt and concrete roads need to be swept. Roads that do not have storm drain inlets and do not discharge to surface water do not need to be swept.

All segments of Borough roads with storm drain inlets that discharge to surface water are swept three (3) times a year at a minimum.

All segments of Borough roads without storm drain inlets that still discharge to surface water are swept one (1) time a year at a minimum.

During the winter months, limited street sweeping is conducted.

2. Indicate if sweeping work is outsourced and if so, describe the arrangement.

All street sweeping work in Lake Como Borough is outsourced to Monmouth County through a shared service agreement which is renewed annually.

Form 7: MS4 Infrastructure
Part IV.F.2-4. And Part IV.G.2-3.

Municipal Storm Drain Inlets

a. Describe how you ensure that municipal inlets without permanent wording cast into the design have been properly labelled.

1. b. Describe how you ensure that municipal and private storm drain inlets have been retrofitted.

c. Describe how you ensure that newly installed storm drain inlets include corresponding catch basins or other BMPs to collect solids.

d. Describe when and how you conduct inspections of storm drain inlets and the criteria used to determine when they need to be cleaned.

a. Lake Como Borough DPW periodically conduct drive-by inspections of the municipal storm drain inlets. At the same time, the condition of the labelling on storm drain inlets without permanent wording cast into the design is evaluated. Non-permanent storm drain inlet labels found to be missing or damaged are scheduled for repair or replacement.

b. As part of the Annual Road Resurfacing Program, municipally owned or operated storm drain inlets are retrofitted or replaced, if needed, when the road is resurfaced to meet the solids and floatables materials control standards in the Lake Como Borough Stormwater Control Ordinance. Lake Como Borough ordinance #2010-853 requires that storm drain inlets on private property shall be retrofitted or replaced to meet the design standard as specified in the ordinance when the roadway is repaved, repaired, resurfaced, reconstructed, or altered. The Planning Board Engineer will identify projects that are subject to ordinance #2010-853 and inform the applicant of the ordinance requirements.

c. As part of the review process, the Borough Engineer checks the plans submitted for road projects and major development projects to confirm that new storm drain inlets comply with the applicable design standards.

d. Lake Como Borough DPW periodically conduct drive-by inspections of the municipal storm drain inlets. If debris is present, the grate and surrounding area is cleaned at that time or scheduled for cleaning within one week.

Municipal Catch Basins

2. a. Describe when and how you conduct inspections of catch basins.

b. Describe the criteria used to determine when catch basins need to be cleaned.

a.	A minimum of 20% of the catch basins are inspected annually on a rotating schedule such that all catch basins are inspected at least once every five (5) years.
b.	Catch basins that are approximately 50% filled with debris are scheduled for cleaning.
<u>Municipal Conveyance System</u>	
3.	Describe when and how inspections of MS4 conveyance systems are conducted, and the criteria used to determine when they need to be cleaned. Include a description of the equipment and techniques used.
<p>Periodic inspections of the MS4 conveyance system are conducted throughout the year. These inspections are often conducted in conjunction with stream scouring and illicit connection inspections. Observed or reported localized street flooding may also trigger an inspection of the conveyance system. If an obstruction is found, the line may be televised and water jetted to relieve the blockage.</p>	
<u>Municipal Outfall Inspections – Stream Scouring</u>	
4.	Describe the program in place to detect, investigate, and control localized stream scouring from stormwater outfalls. Include a description of the equipment and techniques used.
<p>There are 12 municipally owned or operated stormwater outfalls in Lake Como Borough. Each year at least 20% of the outfalls are inspected for stream scouring. Outfalls with stream scouring are prioritized for repair or restoration within the constraints of the existing budget and certified annually.</p>	
<u>Municipal Outfall Inspections – Illicit Discharge Detection and Elimination</u>	
5.	Describe the program in place for conducting visual dry weather inspection of municipally owned or operated outfalls. Include a description of the equipment and techniques used. Record cases of illicit discharges using NJDEP’s Illicit Connection Inspection Report Form from the Department’s main stormwater webpage.
<p>There are 12 municipally owned or operated stormwater outfalls in Lake Como Borough. Each year, at least 20% of the outfalls are inspected for evidence of dry weather flow. If dry weather flow is confirmed, additional physical information is collected and an investigation is conducted. An Illicit Connection Inspection Report Form is completed to assist with the determination of the source of the dry weather flow.</p>	

Other Municipal Infrastructure

- 6. List the types of MS4 infrastructure in your municipality that require inspection but are not noted above in items 1-5. Describe when and how you conduct inspections of this infrastructure and the criteria used to determine when they need to be maintained and/or cleaned.**

Not applicable; there are no other types of MS4 infrastructure in Lake Como Borough that require inspection.

Stormwater Facilities Not Owned or Operated by the Municipality

- 7. Describe your program for ensuring adequate long-term cleaning, operation, and maintenance of stormwater facilities not owned or operated by the municipality. This should include your plan for ensuring annual inspections are being done on these private properties and describe how you record the locations and logs associated with private infrastructure.**

Not applicable; there are no stormwater facilities not owned or operated by Lake Como Borough in the Borough.

Infrastructure Records

- 8. Indicate the location of records related to stormwater infrastructure inspection, cleaning, maintenance, and repair activities.**

Records associated with the inspection, cleaning, maintenance, and repair of municipally owned or operated stormwater infrastructure are kept on file in the Public Works office.

Form 8: Community-wide Measures

Part IV.F.2.

<u>Herbicide Application Management</u>	
1.	Describe your program for preventing herbicides from being washed into the waters of the State and to prevent erosion caused by de-vegetation.
Not applicable; the Lake Como Borough DPW does not spray along roadsides for weed control.	
<u>Excess Deicing Material Management</u>	
2.	Describe your program for ensuring that excess salt piles are removed in a timely manner after storm events.
If present, excess salt piles that remain on roadways or in parking areas are removed by the Lake Como Borough DPW within three (3) days after the storm event is over.	
<u>Roadside Vegetative Waste</u>	
3.	Describe your program for ensuring proper pickup, handling, storage, and disposal of wood waste and yard trimmings generated by the permittee along municipal roads or on municipal properties (trimming trees mowing, etc.).
Wood waste and yard trimmings generated by the permittee along municipal roads and on municipal property are disposed of as they are generated.	
<u>Roadside Erosion Control</u>	
4.	Describe your program to detect and repair erosion along municipal roadways.
At least annually, the Lake Como Borough DPW staff inspect for erosion of shoulders, embankments, ditches, and soil along municipal roadways. If erosion is noted, corrective measures are taken within 90 days of discovery. Depending on the nature and severity of the erosion, vegetative plantings, riprap, or other measures may be implemented to promote soil stabilization. In the event that the corrective measures will take longer than 90 days, the MS4 Case Manager will be notified.	

**Form 9: Municipal Maintenance Yards
& Other Ancillary Operations**

Part IV.F.5.

Please complete a separate Form 9 for each yard or site. Indicate the number of yards/sites the municipality owns or operates: 1

1.	<u>Site Name and Address</u>										
	The Lake Como Borough Public Works Yard is located at 720 17th Avenue.										
2.	<u>Monthly Site Inspections</u>										
	Describe the nature of inspections conducted at this site and the location of inspection logs.										
	DPW staff conduct monthly inspections of the entire Public Works Yard to identify conditions that may contribute stormwater contaminants or otherwise negatively impact the MS4. Findings are documented in an inspection log that is kept on site.										
3.	<u>Inventory List</u>										
	List all materials and machinery that are potentially exposed to stormwater.										
	<table border="1"> <thead> <tr> <th align="center">Materials</th> <th align="center">Machinery/Equipment</th> </tr> </thead> <tbody> <tr> <td></td> <td align="center">DPW equipment</td> </tr> <tr> <td></td> <td align="center">DPW vehicles</td> </tr> <tr> <td></td> <td align="center">Employee vehicles</td> </tr> <tr> <td></td> <td></td> </tr> </tbody> </table>	Materials	Machinery/Equipment		DPW equipment		DPW vehicles		Employee vehicles		
Materials	Machinery/Equipment										
	DPW equipment										
	DPW vehicles										
	Employee vehicles										
4.	<u>Discharge of Stormwater from Secondary Containment</u>										
	Describe the process in place for discharging stormwater from secondary containment areas where outdoor containers are stored.										
	Not applicable.										
5.	<u>Fueling Operations</u>										
	Does fueling occur on site? If so, describe the BMPs in place to minimize contamination of stormwater from fueling activities. If not, explain where fueling takes place.										

<p>Not applicable; the Borough of Lake Como does not have a municipal fueling station. Fuel is purchased from the Belmar Marina fueling facility.</p>
<p style="text-align: center;"><u>Vehicle/Equipment Maintenance and Repair</u></p> <p>6. Do you perform maintenance and repair on site? Is this conducted indoors or outdoors? If outdoors, describe the BMPs in place to minimize contamination of stormwater from maintenance and repair activities.</p>
<p>Vehicle/equipment maintenance and repair is conducted indoors at the Public Works Garage.</p>
<p style="text-align: center;"><u>Wash Wastewater Containment</u></p> <p>7. Do you wash vehicles on site? If so, describe the BMPs in place to minimize contamination of stormwater from these activities. Note that on site containment structures require annual inspections by a NJ licensed professional engineer. If not, explain where vehicle washing takes place.</p>
<p>Not applicable; no vehicle washing is conducted on site. Vehicles are washed either at the Monmouth County Reclamation Center Vehicle Wash Facility or a commercial vehicle wash facility.</p>
<p style="text-align: center;"><u>Salt and Other Granular De-icing Materials</u></p> <p>8. Do you store salt and other granular deicing materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.</p>
<p>Not applicable; salt and de-icing materials are not stored at the Public Works Yard. The Borough purchases salt and de-icing materials as needed from the Borough of Belmar through a shared service agreement and loads their trucks at the Belmar Public Works Yard.</p>
<p style="text-align: center;"><u>Aggregate Material, Wood Chips, and Finished Leaf Compost</u></p> <p>9. Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.</p>
<p>Not applicable; no aggregate material, wood chips, or finished leaf compost are stored at the Public Works Yard.</p>

Cold Patch Asphalt

- 10. Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.**

Not applicable; no cold patch asphalt is stored at the Public Works Yard.

Street Sweepings and Storm Sewer Cleanout Materials

- 11. Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.**

Street sweepings and storm sewer cleanout materials are collected and disposed of at the Monmouth County Reclamation Center.

Construction and Demolition Waste, Wood Waste, and Yard Trimmings

- 12. Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.**

Not applicable; no construction waste, demolition waste, wood waste, or yard trimmings are stored at the Public Works Yard.

Scrap Tires

- 13. Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.**

Not applicable; no scrap tires are stored at the Public Works Yard.

Inoperable Vehicles and Equipment

- 14. Do you store inoperable vehicles or equipment on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater. If not, explain how they are stored.**

Not applicable; no inoperable vehicles or equipment are stored at the Public Works Yard.

Form 10: Training
Part IV.F.6-10.

<u>Stormwater Program Coordinators</u>
Describe the training provided for the municipal Stormwater Program Coordinator.
The Stormwater Program Coordinator (SPC) has attended and received the required NJDEP training for SPC responsibilities and will once per permit cycle thereafter.

<u>Topic</u>	<u>Municipal Employees</u> Examples: in-person or virtual group sessions, e-Learning, field trainings, and videos
Describe the training provided for municipal staff.	
<i>SPPP</i>	Annual training is provided to appropriate municipal staff on the current SPPP and applicable recordkeeping requirements through in-person and/or virtual training sessions.
<i>Construction Site Stormwater Runoff</i>	The Construction Official receives the proper NJDEP training to determine if a general or individual Construction Site Stormwater Runoff permit is required at a construction site. The training is provided through in-person and/or virtual training sessions.
<i>Post-Construction Stormwater Management in New Development and Redevelopment</i>	Not applicable. The Borough Engineer's office reviews and inspects all new development and redevelopment projects in Lake Como Borough.
<i>Community-wide Ordinances</i>	Annual training is provided for appropriate municipal staff on stormwater-related ordinances. The training includes a review of the requirements, enforcement, and the repercussions of non-compliance and is provided through in-person and/or virtual training sessions.
<i>Community-wide Measures</i>	Annual training is provided to municipal staff that implement community-wide pollution prevention measures and good housekeeping measures to control solid and floatable materials. The training is provided through in-person and/or virtual training sessions.

<i>Stormwater Facilities Maintenance</i>	Annual training is provided to municipal staff involved with the inspection, maintenance, and repair of Borough owned or operated stormwater infrastructure. The training is provided through in-person and/or virtual training sessions.
<i>Municipal Maintenance Yards and Other Ancillary Operations</i>	Annual training is provided to appropriate municipal staff on implementing BMPs, good housekeeping measures, and conducting and documenting site inspections at the municipal maintenance yard(s). The training is provided through in-person and/or virtual training sessions.
<i>MS4 Mapping</i>	Not applicable. The Borough Engineer's office collects stormwater infrastructure GPS points and associated attributes used in creating and regularly updating the Lake Como Borough stormwater infrastructure map.
<i>Outfall Stream Scouring</i>	Not applicable. The Borough Engineer's office conducts stream scouring inspections of Lake Como Borough stormwater outfalls.
<i>Illicit Discharge Detection and Elimination</i>	Not applicable. The Borough Engineer's office conducts visual dry weather inspections of Lake Como Borough stormwater outfalls.
<i>Watershed Improvement Plan</i>	Not applicable. The Borough Engineer's office is working toward completing each phase of the Watershed Improvement Plan.

<u>Stormwater Management Design Reviewers</u>
Describe the training provided for individuals responsible for reviews and approvals of stormwater management designs.
All individuals that review and approve stormwater management designs for major development projects in Lake Como Borough will complete the NJDEP Stormwater Management Design Review training course at a minimum of once every five (5) years.

<u>Municipal Board and Governing Body Members</u>
Describe the training provided for members of the planning/zoning board and municipal council.

Within six (6) months of taking office, members of the Lake Como Borough Planning/Zoning Board and members of the Lake Como Borough Council will complete the “Asking the Right Questions in Stormwater Review Training Tool” found at <https://dep.nj.gov/stormwater/stormwater-training/>.

Once per term of service thereafter, members of the Lake Como Borough Planning/Zoning Board and members of the Lake Como Borough Council will review at least one of the NJDEP training tools offered under Post-Construction Stormwater Management found at <https://dep.nj.gov/stormwater/stormwater-training/>.

Training Records

Indicate the location of training records for the above required training.

Training records for the Lake Como Borough Council, the Lake Como Borough Planning/Zoning Board, stormwater management design reviewers, and all relevant municipal employees that receive annual training(s) are kept on file in the Borough Clerk’s office.

Form 11: MS4 Mapping
Part IV.G.1.

1. Provide a link to the most current MS4 infrastructure map.	
The Lake Como Borough stormwater infrastructure map is posted on the municipal stormwater webpage at: https://lakecomonj.org/home/page/26 .	
2. Indicate the total of each type of MS4 infrastructure listed below.	
<i>a. MS4 outfalls</i>	12
<i>b. MS4 groundwater discharge points (basins or overland flow infiltration areas)</i>	0
<i>c. MS4 interconnections</i>	5
<i>d. MS4 storm drain inlets</i>	104
<i>e. MS4 manholes</i>	34
<i>f. Length of conveyance (channels, pipes, ditches, etc.)</i>	2.55 miles
<i>g. MS4 pump stations</i>	0
<i>h. MS4 stormwater facilities (any not listed above)</i>	0
<i>i. Maintenance yard(s) and other ancillary operations</i>	1
3. Describe how the municipality's infrastructure map is reviewed and updated to reflect any new or newly identified MS4 infrastructure (e.g. an outfall is closed, a new basin is constructed, ownership of an outfall has changed, etc.)	
Before the end of each year, the Borough Engineer's office reviews the current stormwater infrastructure map for accuracy. Map revisions are made if there are additions to or removals of existing stormwater infrastructure or any other significant changes.	
4. Describe how the municipality will create and update its MS4 infrastructure map.	
The Borough Engineer's office has collected GPS points and associated attributes for all Borough MS4 infrastructure. This data has been used to create a stormwater infrastructure map for Lake Como Borough. The stormwater infrastructure data was electronically submitted to NJDEP as a georeferenced shapefile before the January 1, 2026 deadline. The approved stormwater infrastructure map has been posted on the Borough stormwater webpage and included as a hyperlink within this SPPP. The MS4 infrastructure map will be reviewed and updated annually or more frequently if necessary.	

Form 12: Watershed Improvement Plan

Part IV.H.

1. Describe how your municipality is developing its Watershed Improvement Plan.
<p>The Borough Engineer's office is working toward completing each phase of the Watershed Improvement Plan. Phase one (1), the Watershed Inventory Report, was electronically submitted to NJDEP before the January 1, 2026 deadline. The Borough Engineer's office is beginning work on phase two (2), the Watershed Assessment Report, which is due January 1, 2027. Phase three (3), the Watershed Improvement Plan, will be subsequently developed and is due December 1, 2027.</p>
2. Describe any regional projects or collaboration efforts with other municipalities.
<p>No regional projects or collaboration efforts with other municipalities have been identified specific to the Watershed Improvement Plan.</p>
3. Indicate the location of records related to all public information sessions and meetings for discussions of the Watershed Improvement Plan.
<p>All records related to Watershed Improvement Plan public information sessions and meetings will be kept on file at the Borough Clerk's office.</p>